

File: 10805633

SEP 04 2007

Page No.: 2 of 2 pages

Miscellaneous Action with SSP



UNITED STATES DEPARTMENT OF COMMERCE
U.S. Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

10805633

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT PAPER

20070820

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Drawings Objection

1. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the figures so blurred and unclear. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance. The drawings are objected to because the drawing figures should be numerical order (for example figure 1, figure 2 and so on... figure 50). Figures A to O should be renumber. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- The subject matter of this application admits of illustration by a drawing to facilitate understanding of the invention. Applicant is required to furnish a drawing under 37 CFR 1.81. No new matter may be introduced in the required drawing. Applicant is given a TWO MONTH time period to submit a drawing in compliance with 37 CFR 1.81. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a). Failure to timely submit a drawing will result in ABANDONMENT of the application.

2. Any inquiry concerning this communication should be directed to Examiner Dang at telephone number (571) 272-2326.

8/07

HUNG DANG
PRIMARY EXAMINER
TC 2800

PTO-80C (Rev. 04-03)

10/805633

Mr. Dang


I have included in this packet...

- 1) A new Replacement Abstract as the last one written by Mr. Swayze was not detailed enough and did not include the right information.
- 2) A new copy of my patent Pages 1 - 15 with the corrected Figure reference numbers replacing the letters as you requested for each one.
- 3) A conversion chart showing the Figured Letters with corresponding Numbers to help you quickly reference the changes made.
- 4) And a whole new set of "photo copy approved" drawings that have been converted to help you see and reference them easier with better detail. Some of the pages are merely duplicates as I was not sure which one would translate better for you! For the most part all of them will look better to you and be easier to reference!

All of these draws shown now are in compliance with your quality and code standard for acceptance with my patent. If you have any questions please feel free to call me.

Thank you

Phillip Ridings



iQueVision
Animated Vision Testing System
Publication No:
US 20050225720 ✓